



STANDARD AMBIENT FLEXIBLE CONNECTOR


STANDARD AMBIENT FLEXIBLE CONNECTOR

Overview

- Fit to matching flanges to provide flexible connection
- PVC coating polyester
- Supplied with plated steel band fixings
- Alternative material available to order
- Suitable for temperatures between -30°C and +70°C



Product Code	Fan Dia. A	B	Weight kg
063-0250-MAN150	250	150	0.5
063-0315-MAN150	315	150	0.6
063-0350-MAN150	350	150	0.7
063-0400-MAN150	400	150	0.9
063-0450-MAN150	450	150	1.1
063-0500-MAN150	500	150	1.2
063-0560-MAN150	560	150	1.3
063-0630-MAN200	630	200	1.4
063-0710-MAN200	710	200	2.0
063-0800-MAN200	800	200	2.3
063-0900-MAN200	900	200	2.7
063-1000-MAN250	1000	250	3.0



Dimensions are in mm.

Building Services

Tel **+44 (0) 1384 275800**
Fax **+44 (0) 1384 275810**
Email **info@eltafans.co.uk**

46 Third Avenue, Pensnett Trading Estate, Kingswinford,
West Midlands, DY6 7US United Kingdom

Applied Technology & Building Services Export

Tel **+44 (0) 1489 566500**
Fax **+44 (0) 1489 566555**
Email **at@eltafans.co.uk / export@eltafans.co.uk**

17 Barnes Wallis Road, Segensworth East Industrial Estate,
Fareham, Hampshire, PO15 5ST United Kingdom

eltafans.com

063-MAN-03-2018 Issue A



BS EN ISO 9001:2015 FM 556465

